


STATE OF NEW YORK
HUDSON RIVER-BLACK RIVER REGULATING DISTRICT
STILLWATER RESERVOIR / BLACK RIVER REGULATION

Monthly Report for: May, 2009

| Day | Stillwater Reservoir Elevation Average Daily | Stillwater Reservoir Elevation Midnight | Stillwater Reservoir Net Inflow cfs | Stillwater Reservoir Release cfs | Black River at Boonville cfs | Beaver River at Croghan cfs | Regulated Black River at Watertown cfs |
|---------|--|---|-------------------------------------|----------------------------------|------------------------------|-----------------------------|--|
| 1 | 1675.09 | 1675.01 | 617 | 160 | 845 | 312 | 3680 |
| 2 | 1675.26 | 1675.17 | 665 | 150 | 1270 | 565 | 4980 |
| 3 | 1675.40 | 1675.35 | 464 | 150 | 1240 | 543 | 5190 |
| 4 | 1675.51 | 1675.46 | 414 | 100 | 953 | 403 | 4980 |
| 5 | 1675.62 | 1675.57 | 329 | 100 | 722 | 307 | 4320 |
| 6 | 1675.70 | 1675.65 | 414 | 100 | 637 | 336 | 3590 |
| 7 | 1675.84 | 1675.76 | 530 | 101 | 929 | 374 | 3500 |
| 8 | 1675.98 | 1675.91 | 507 | 101 | 1220 | 359 | 4400 |
| 9 | 1676.14 | 1676.05 | 697 | 50 | 1100 | 410 | 4840 |
| 10 | 1676.46 | 1676.27 | 1227 | 50 | 1050 | 959 | 6340 |
| 11 | 1676.80 | 1676.67 | 815 | 50 | 1100 | 964 | 6600 |
| 12 | 1677.03 | 1676.93 | 651 | 50 | 843 | 652 | 6080 |
| 13 | 1677.20 | 1677.13 | 576 | 152 | 673 | 412 | 5100 |
| 14 | 1677.32 | 1677.27 | 516 | 152 | 645 | 367 | 4090 |
| 15 | 1677.45 | 1677.39 | 533 | 170 | 994 | 382 | 3870 |
| 16 | 1677.63 | 1677.51 | 1130 | 100 | 1290 | 536 | 4180 |
| 17 | 1678.12 | 1677.85 | 1649 | 100 | 4420 | 1360 | 7450 |
| 18 | 1678.47 | 1678.35 | 902 | 153 | 3510 | 1280 | 8670 |
| 19 | 1678.66 | 1678.59 | 651 | 276 | 1750 | 685 | 10500 |
| 20 | 1678.73 | 1678.71 | 589 | 465 | 1280 | 748 | 10900 |
| 21 | 1678.74 | 1678.75 | 518 | 518 | 1030 | 764 | 9530 |
| 22 | 1678.75 | 1678.75 | 549 | 518 | 837 | 710 | 7780 |
| 23 | 1678.74 | 1678.76 | 393 | 518 | 671 | 637 | 5960 |
| 24 | 1678.72 | 1678.72 | 518 | 518 | 589 | 633 | 4610 |
| 25 | 1678.70 | 1678.72 | 424 | 518 | 524 | 702 | 3810 |
| 26 | 1678.65 | 1678.69 | 362 | 518 | 465 | 686 | 3350 |
| 27 | 1678.64 | 1678.64 | 580 | 518 | 469 | 686 | 3200 |
| 28 | 1678.71 | 1678.66 | 768 | 518 | 556 | 782 | 3640 |
| 29 | 1678.79 | 1678.74 | 830 | 518 | 730 | 1080 | 5110 |
| 30 | 1678.86 | 1678.84 | 675 | 519 | 880 | 1020 | 5770 |
| 31 | 1678.88 | 1678.89 | 520 | 520 | 716 | 988 | 5630 |
| AVERAGE | | | 646 | 272 | 1090 | 670 | 5540 |

CHANGE IN STORAGE DURING THE MONTH

1.03 B.C.F.



CHIEF ENGINEER

STATE OF NEW YORK
HUDSON RIVER-BLACK RIVER REGULATING DISTRICT
SIXTH LAKE RESERVOIR REGULATION


Monthly Report for: May, 2009

| Day | Reservoir Elevation | Reservoir Elevation | Reservoir Release (cfs) | Gate Openings | | Inflow (cfs) |
|-----|---------------------|---------------------|----------------------------|----------------|----------------|-----------------|
| | Average Daily | Midnight | | Gate A (ft) | Gate B (ft) | |
| 1 | 1783.10 | 1783.05 | 4 | 0.00 | 0.08 | 36 |
| 2 | 1783.20 | 1783.14 | 4 | 0.00 | 0.08 | 47 |
| 3 | 1783.29 | 1783.26 | 4 | 0.00 | 0.08 | 22 |
| 4 | 1783.32 | 1783.31 | 4 | 0.00 | 0.08 | 8 |
| 5 | 1783.36 | 1783.32 | 4 | 0.00 | 0.08 | 33 |
| 6 | 1783.43 | 1783.40 | 4 | 0.00 | 0.08 | 26 |
| 7 | 1783.53 | 1783.46 | 4 | 0.00 | 0.08 | 54 |
| 8 | 1783.65 | 1783.60 | 4 | 0.00 | 0.08 | 36 |
| 9 | 1783.75 | 1783.69 | 4 | 0.00 | 0.08 | 43 |
| 10 | 1783.86 | 1783.80 | 4 | 0.00 | 0.08 | 47 |
| 11 | 1783.96 | 1783.92 | 4 | 0.00 | 0.08 | 30 |
| 12 | 1784.03 | 1783.99 | 4 | 0.00 | 0.08 | 29 |
| 13 | 1784.06 | 1784.06 | 4 | 0.00 | 0.08 | 4 |
| 14 | 1784.12 | 1784.06 | 4 | 0.00 | 0.08 | 43 |
| 15 | 1784.23 | 1784.17 | 4 | 0.00 | 0.08 | 43 |
| 16 | 1784.42 | 1784.28 | 4 | 0.00 | 0.08 | 102 |
| 17 | 1784.70 | 1784.55 | 4 | 0.00 | 0.08 | 111 |
| 18 | 1784.90 | 1784.84 | 4 | 0.00 | 0.08 | 44 |
| 19 | 1784.99 | 1784.95 | 4 | 0.00 | 0.08 | 33 |
| 20 | 1785.06 | 1785.03 | 4 | 0.00 | 0.08 | 26 |
| 21 | 1785.12 | 1785.09 | 4 | 0.00 | 0.08 | 26 |
| 22 | 1785.19 | 1785.15 | 4 | 0.00 | 0.08 | 29 |
| 23 | 1785.22 | 1785.22 | 4 | 0.00 | 0.08 | 0 |
| 24 | 1785.23 | 1785.21 | 4 | 0.00 | 0.08 | 15 |
| 25 | 1785.25 | 1785.24 | 4 | 0.00 | 0.08 | 15 |
| 26 | 1785.28 | 1785.27 | 4 | 0.00 | 0.08 | 15 |
| 27 | 1785.38 | 1785.30 | 4 | 0.00 | 0.08 | 67 |
| 28 | 1785.55 | 1785.47 | 4 | 0.00 | 0.08 | 67 |
| 29 | 1785.66 | 1785.64 | 41 | 0.00 | 0.50 | 56 |
| 30 | 1785.69 | 1785.68 | 26 | 0.00 | 0.50 | 33 |
| 31 | 1785.70 | 1785.70 | 26 | 0.00 | 0.50 | 26 |

| | | |
|---------|-----|------|
| TOTAL | 205 | 1169 |
| AVERAGE | 7 | 38 |

CHANGE IN STORAGE DURING THE MONTH

0.083 B.C.F



 CHIEF ENGINEER

STATE OF NEW YORK
HUDSON RIVER-BLACK RIVER REGULATING DISTRICT
OLD FORGE RESERVOIR REGULATION


Monthly Report for: May, 2009

| Day | Reservoir Elevation | Reservoir Elevation | Reservoir Release (cfs) | Gate Opening | | Inflow (cfs) |
|-----|---------------------|---------------------|-------------------------|--------------|-------------|--------------|
| | Average Daily | Midnight | | Gate A (ft) | Gate B (ft) | |
| 1 | 1705.80 | 1705.77 | 4 | 0.00 | 0.08 | 79 |
| 2 | 1705.88 | 1705.82 | 4 | 0.00 | 0.08 | 170 |
| 3 | 1705.93 | 1705.93 | 4 | 0.00 | 0.08 | 4 |
| 4 | 1705.94 | 1705.93 | 4 | 0.00 | 0.08 | 19 |
| 5 | 1705.96 | 1705.94 | 4 | 0.00 | 0.08 | 64 |
| 6 | 1706.01 | 1705.98 | 4 | 0.00 | 0.08 | 94 |
| 7 | 1706.09 | 1706.04 | 4 | 0.00 | 0.08 | 139 |
| 8 | 1706.17 | 1706.13 | 4 | 0.00 | 0.08 | 109 |
| 9 | 1706.23 | 1706.20 | 4 | 0.00 | 0.08 | 85 |
| 10 | 1706.33 | 1706.25 | 4 | 0.00 | 0.08 | 252 |
| 11 | 1706.45 | 1706.41 | 4 | 0.00 | 0.08 | 121 |
| 12 | 1706.48 | 1706.48 | 4 | 0.00 | 0.08 | 4 |
| 13 | 1706.50 | 1706.48 | 4 | 0.00 | 0.08 | 68 |
| 14 | 1706.54 | 1706.52 | 4 | 0.00 | 0.08 | 64 |
| 15 | 1706.60 | 1706.56 | 4 | 0.00 | 0.08 | 113 |
| 16 | 1706.69 | 1706.63 | 4 | 0.00 | 0.08 | 178 |
| 17 | 1706.79 | 1706.74 | 119 | 4.00 | 4.00 | 274 |
| 18 | 1706.76 | 1706.84 | 350 | 4.00 | 4.00 | 102 |
| 19 | 1706.66 | 1706.68 | 138 | 0.33 | 0.50 | 89 |
| 20 | 1706.66 | 1706.65 | 42 | 4.00 | 4.00 | 91 |
| 21 | 1706.69 | 1706.68 | 42 | 0.00 | 0.00 | 74 |
| 22 | 1706.72 | 1706.70 | 24 | 0.17 | 0.17 | 84 |
| 23 | 1706.73 | 1706.74 | 16 | 0.17 | 0.17 | -14 |
| 24 | 1706.72 | 1706.72 | 16 | 0.17 | 0.17 | 16 |
| 25 | 1706.73 | 1706.72 | 16 | 0.17 | 0.17 | 31 |
| 26 | 1706.74 | 1706.73 | 16 | 0.17 | 0.17 | 46 |
| 27 | 1706.81 | 1706.75 | 16 | 0.17 | 0.17 | 205 |
| 28 | 1706.90 | 1706.87 | 129 | 4.00 | 4.00 | 223 |
| 29 | 1706.87 | 1706.93 | 359 | 4.00 | 4.00 | 152 |
| 30 | 1706.72 | 1706.80 | 361 | 4.00 | 4.00 | 113 |
| 31 | 1706.60 | 1706.64 | 216 | 4.00 | 4.00 | 76 |

| | | | |
|---------|------|--|------|
| TOTAL | 1924 | | 3127 |
| AVERAGE | 62 | | 101 |

CHANGE IN STORAGE DURING THE MONTH

0.104 B.C.F



 CHIEF ENGINEER